



Combined Cabinet Supermarket Freezer- TD125+ZCD-L125S-S4T

Quick Overview

TD125 (Upper Part)

- Adjustable shelves
- LED lights
- Self closing door
- Low-maintenance condenser
- 3 panes glass, including 2 panes tempered and heat film self-closing

ZCD-L125S-S4T (Bottom Part)

- Interior LED lights
- Sliding tempered Low-E glass lids
- Self evaporating drip tray
- Adjustable feet



Description

TD125 (Upper Part)

Temperature Range	-18~-22°C
Standard Ambient	25 °C,60% Rh
Type of Defrost	Auto-defrost
Temp control	Carel digital controller
Refrigerant	R290
Capacity (L)	320
Refrigeration cooling system	Fan cooling
Door type	3 panes glass, including 2pane tempered & 1 heatfilm self-closing
Temperature display	Yes
Power	240V,50Hz, 10A Plug
Rate Power (W)	664
Energy Consumption [Kwh/24hrS]	12.3

ZCD-L125S-S4T (Bottom Part)

Temperature Range	-18~-22℃
Standard Ambient	25℃,60% Rh
Type of Defrost	Manual-defrost
Temp control	Carel digital controller
Refrigerant	R290
Capacity (L)	470
Refrigeration cooling system	Driect cooling
Door type	4 pcs Tempered Low-E glass lids
Temperature display	Yes
Power	240V,50Hz, 10A Plug
Rate Power (W)	320
Energy Consumption [Kwh/24hrS]	3.1

2 Years Parts and Labour warranty

Specifications

TD125 (Upper Part)

Net Weight (Kg)	122
Width (mm)	1250
Height (mm)	1022
Depth (mm)	590
Packing Width (mm)	1330
Packing Height (mm)	1245
Packing Depth (mm)	660

ZCD-L125S-S4T (Bottom Part)

Net Weight (Kg)	111
Width (mm)	1254
Height (mm)	870+210
Depth (mm)	836
Packing Width (mm)	1384
Packing Height (mm)	1205
Packing Depth (mm)	994

Figure



